



PRODUCT CATALOGUE



Advanced Protection | Unmatched Durability | Engineered for Excellence



GROUP VISION

To be a world class textile solutions provider, by leveraging our global positioning, and to create strong growth potential, thereby increasing value for our shareholders.





TABLE OF CONTENTS



	02
Group Vision	01
Our Values	03
Sarena In The Kingdom Of Saudi Arabia	04
About Us	05
Value Added Services	06-07
Our Products & Future of safety	08
Multi-Norm Fabrics/Garments	09
FR & Non FR Coverall	10-19
Winter Jackets	20-25
IFR Shirts, Pants & Coveralls	26-30
Safety Vests (FR & Non-FR Twills)	31-32
FR Denim Pants	33-36
Chino Pants	37-46
FR & Non FR Shirts	47-54
FR & Non Pants & Shirts	55-64
Aprons (FR & Non-FR Denims & Twills)	65
Lab Coats (FR & Non-FR Twills)	66
Ladies FR 2PCS Pants & Shirts	67
Chef's Jacket (FR & Non-FR Twills)	68
Scrubs (FR & Non-FR Twills)	69
Puffer Jackets	70
Fashion wear (Denim Pants & Shorts)(Stretch & Non-Stretch)	72
Fashion wear (Cargo Pants & Chinos)(Stretch & Non-Stretch)	73
Sarena & Sustainability	75



OUR VALUES

01

Excellence

02

Significance

03

Institutionalization



SARENA IN THE GULF



In 2023, Sarena extended its legacy by introducing Shazira in the UAE, focusing on crafting top-notch apparel for essential industries such as Oil, Gas, and Petrochemical Production. Shazira is dedicated to providing comfortable, durable, and reliable protective apparel with a commitment to superior quality and competitive pricing.

With our rich experience of serving diverse industries in North America, the E.U and the Kingdom of Saudi Arabia, Sarena brings a wealth of knowledge and a track record of superior customer service in Protective Apparel to our valuable customers.

We are able to commit to and deliver a mix of high quality and optimal price to our customers, thanks to a fully accredited and vertically integrated, state of the art production facility in Lahore, Pakistan.

OUR COMMITMENT

This commitment is upheld by our state-of-the-art production facility in Pakistan, fully accredited and operating on a vertically integrated model. This ensures optimal control and efficiency at every stage of production, reflecting our dedication to delivering exceptional products. As a prominent supplier in the UAE, Shazira envisions becoming a key player in the Petrochemicals, Fire, and Safety sectors, with strategically positioned warehouses and offices ensuring seamless and consistent deliveries to our valued customers.



Sarena Textiles Industries is a cluster of vertically integrated, Textile production units, that deal in producing multiple textile products ranging from Dyed Yarn to Apparel and everything in between.

With rich experience of more than **50 years in textile Retail**, Manufacture and Export, Sarena is a fully accredited and credible textile solutions provider, with offices across the world; we proudly conduct all our operations with complete transparency and integrity.

We believe in forming long-term, mutually beneficial partnerships with our customers, based on sincerity, trust and the pursuit of the highest standards.




SARENA
TEXTILE INDUSTRIES

GROUP OF COMPANIES

YARN DYEING | WEAVING | DYEING | FINISHING | PRINTING | MANUFACTURING



A stock of ready goods at your door step and close to your business.



Products design in absolute compliance with latest regional legislation for performance EN standards of protective Apparel.



Use of durable, comfortable, affordable material and technologies best suited for the regional climate.

OUR VALUE ADDED SERVICES



Product research and design development to meet any specific requirement you may have.



A complete range of Supply chain material as embroidery, printing, distinctive products design features, customized sizes & special accessories.



Complete assurance of quality and performance of all products.



Reliable customer services to answer your questions, resolve complaints, show true business partnership and design custom solutions for your business.



OUR PRODUCTS

Excellent performance with durability & customized at EN standards



Flame Retardant



Arc Flash Protection



Dual Compliance



Superior Comfort



Excellent Colorfastness



High Visibility

FUTURE OF SAFETY

- FR & Non FR Twill (Pants, Shirts, Coverall, 2pcs Pant & Shirt, Jackets, Apron, Lab Coats)
- FR & Non FR Denim (Pants, Shirts, Coverall, 2pcs Pant & Shirt, Jackets, Apron, Lab Coats)
- Chef Coats
- FR Safety Vest
- FR & Non FR Scrub Suits
- High Altitude Products
- Ppe Accessories
- Bags/caps
- Army Uniform
- Fashion Articles (Twill & Denim)



MULTI-NORM FABRICS/ GARMENTS

- | | |
|--|---|
|  Proban FR |  Acid Repellent |
|  Heat Resistance |  Chemical Repellent |
|  Arc Resistance |  Water Oil Repellent |
|  Molten Metal Protect |  Mosquito Repellent |
|  Antistatic Soil Release |  Inherent |
|  UV Protection | |





COVERALL



FR JUPITER COVERALL

100% CTN

Fabric Specification

Weight:

250GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- Double 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff/Extra side pockets with snap buttons
- Chest pockets with flaps and snap buttons for secure storage
- Double Slider zipper at front chest opening for easy to wear
- Bartack at all stress points



CATEGORY CAT 2 & ATPV RATING 8 CAL

SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	59.00	67.00	149.50
M	61.00	69.00	153.50
L	63.00	71.00	157.50
XL	65.00	73.00	163.50
2XL	67.00	75.00	165.50
3XL	69.00	77.00	169.50
4XL	71.00	79.00	173.50
5XL	73.00	81.00	177.50
6XL	75.00	83.00	181.50

Colors

- Royal Blue
- Navy Blue

Standards





FR SAFE EXPRESS COVERALL

100% CTN (BOLAN)

Fabric Specification

Weight: 255GSM
Specialty: Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- Double 2.5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff/Extra side pockets with snap buttons
- Chest pockets with flaps and snap buttons for secure storage
- Double Slider zipper at front chest opening for easy to wear
- Bartack at all stress points

Standards



CATEGORY CAT 2 & ATPV RATING 8.7 CAL

Colors

- Royal Blue
- Navy Blue
- Red
- Green
- White
- Orange
- Grey
- Yellow
- Khaki

SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	59.00	67.00	149.50
M	61.00	69.00	153.50
L	63.00	71.00	157.50
XL	65.00	73.00	163.50
2XL	67.00	75.00	165.50
3XL	69.00	77.00	169.50
4XL	71.00	79.00	173.50
5XL	73.00	81.00	177.50
6XL	75.00	83.00	181.50



FR COVERALL HI VIS YELLOW TAPE

100% CTN (SAFE EXPRESS)

Fabric Specification

Weight: 255GSM
Specialty: Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- Double 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff/Extra side pockets with snap buttons
- Chest pockets with flaps and snap buttons for secure storage
- Double Slider zipper at front chest opening for easy to wear
- Bartack at all stress points



CATEGORY CAT 2 & ATPV RATING 8.7 CAL

SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	59.00	67.00	149.50
M	61.00	69.00	153.50
L	63.00	71.00	157.50
XL	65.00	73.00	163.50
2XL	67.00	75.00	165.50
3XL	69.00	77.00	169.50
4XL	71.00	79.00	173.50
5XL	73.00	81.00	177.50
6XL	75.00	83.00	181.50

Colors

- Royal Blue
- Navy Blue
- Red
- Light Royal Blue
- Orange
- Grey
- Yellow
- Khaki

Standards





FR TOUCH STONE STRETCH NEGA COVERALL

STRETCH NEGA

Fabric Specification

Weight:

275GSM

Specialty:

Proban Fire Retardant & Anti Static

Care Instructions



Maximum washing
temperature 60 °C
normal process



Do not
bleach



Professional
dry cleaning



Iron at a maximum
sole-plate
temperature of 150 °C



Do not
tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- Double 2.5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff/Extra side pockets with snap buttons
- Chest pockets with flaps and snap buttons for secure storage
- Double Slider zipper at front chest opening for easy to wear
- Bartack at all stress points

Standards



CATEGORY CAT 2
& ATPV RATING 10 CAL

SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	59.00	67.00	149.50
M	61.00	69.00	153.50
L	63.00	71.00	157.50
XL	65.00	73.00	163.50
2XL	67.00	75.00	165.50
3XL	69.00	77.00	169.50
4XL	71.00	79.00	173.50
5XL	73.00	81.00	177.50
6XL	75.00	83.00	181.50

Colors

- Royal Blue
- Navy Blue



FR 12 CAL COVERALL

((BIYAS) E-ARC)

Fabric Specification

Weight:

288GSM

Specialty:

Proban Fire Retardant, Antistatic Finish & ARC Resistant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Flexible adjustments at cuff with Velcro TAB
- Breathable, Soft to wear & Fantastic to Touch
- Chest Pockets with flaps & Snap buttons for Secure Storage
- Excellent colorfastness
- Double slider Metal Zipper at front Chest opening for easy to wear
- 3% washing shrinkage
- Bartack at all stress points/Extra side pockets with Snap buttons
- FR Properties lasts lifetime of the fabric
- Triple Needle stitch at seam for lifetime Strength
- Additional tool pockets at sleeves & bottom side seams
- Extra Airy pockets at bottom in addition to side pockets
- Elasticated waist for close fitting
- Double FR reflective tape 2.5CM with Minimum 330cd/lx.m2 reflection value



CATEGORY CAT 2 & ATPV RATING 12 CAL

SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	59.00	67.00	149.50
M	61.00	69.00	153.50
L	63.00	71.00	157.50
XL	65.00	73.00	163.50
2XL	67.00	75.00	165.50
3XL	69.00	77.00	169.50
4XL	71.00	79.00	173.50
5XL	73.00	81.00	177.50
6XL	75.00	83.00	181.50

Colors

- Green
- Orange
- Navy Blue
- White

Standards





FR WELDING COVERALL

Fabric Specification

Weight:

340GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- Double 2.5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff/Extra side pockets with snap buttons
- Chest pockets with flaps and snap buttons for secure storage
- Double Slider zipper at front chest opening for easy to wear
- Bartack at all stress points



CATEGORY CAT 2
& ATPV RATING 12 CAL

SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	59.00	67.00	146.00
M	61.00	69.00	150.00
L	63.00	71.00	154.00
XL	65.00	73.00	158.00
2XL	67.00	75.00	162.00
3XL	69.00	77.00	166.00
4XL	71.00	79.00	170.00
5XL	73.00	81.00	174.00
6XL	75.00	83.00	178.00

Colors

 Navy Blue

Standards





FR CHEMICAL PROTECTION COVERALL

Fabric Specification

Weight:

350GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- Particular for welding job
- Double 2.5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff
- Chest pockets with flaps and snap buttons for secure storage
- Double Slider zipper at front chest opening for easy to wear
- Bartack at all stress points



CATEGORY CAT 2 & ATPV RATING 13 CAL

SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	59.00	67.00	146.00
M	61.00	69.00	150.00
L	63.00	71.00	154.00
XL	65.00	73.00	158.00
2XL	67.00	75.00	162.00
3XL	69.00	77.00	166.00
4XL	71.00	79.00	170.00
5XL	73.00	81.00	174.00
6XL	75.00	83.00	178.00

Colors

Navy Blue

Standards





NON FR COVERALL ID 1176 A

Fabric Specification

Weight:

240GSM

Specialty:

100% COTTON

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff.
- Double Slider zipper at front chest opening for easy to wear
- Bartack at all stress points



Colors

- Royal Blue
- Navy Blue
- Red
- Khaki
- Orange

SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	59.00	67.00	149.50
M	61.00	69.00	153.50
L	63.00	71.00	157.50
XL	65.00	73.00	163.50
2XL	67.00	75.00	165.50
3XL	69.00	77.00	169.50
4XL	71.00	79.00	173.50
5XL	73.00	81.00	177.50
6XL	75.00	83.00	181.50
7XL	77.00	85.00	185.50
8XL	79.00	87.00	189.50
9XL	81.00	89.00	193.50



NON-FR 220 GSM REFLECTIVE COVERALL

Fabric Specification

Weight:

220GSM

Care Instructions



Maximum washing
temperature 60 °C
normal process



Do not
bleach



Professional
dry cleaning



Do not
tumble dry

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff.
- Double Slider zipper at front chest opening for easy to wear
- Bartack at all stress points



Colors

	Royal Blue		Orange
	Navy Blue		Grey
	Red		Green
	Khaki		

SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	57.00	65.00	142.00
M	59.00	67.00	146.00
L	61.00	69.00	150.00
XL	63.00	71.00	154.00
2XL	65.00	73.00	158.00
3XL	67.00	75.00	162.00
4XL	69.00	77.00	166.00
5XL	71.00	79.00	170.00



WINTER JACKETS



FR WINTER JACKET WITH HOOD (ALASKA)

Fabric Specification

Weight: 250GSM
Specialty: Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Quilting inside to warm the body
- 2.5cm FR Reflective Tape At shoulder & Arms
- High quality Vislon Zipper at front
- Front Pockets with Flap
- Two Front side pockets



CATEGORY CAT 2
& ATPV RATING 8 CAL

SIZE RANGE (CM)

SIZE	CHEST	LENGTH HPS-BTM
S	62.00	70.50
M	64.00	72.50
L	66.00	74.50
XL	68.50	76.50
2XL	70.00	78.00
3XL	72.50	80.50
4XL	74.00	82.00
5XL	76.50	84.50

Colors

- Royal Blue
- Dark Navy

Standards





FR WINTER JACKET W/HOOD

(BIYAS-288GSM)

Fabric Specification

Weight:

288GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Quilting inside to warm the body
- 2.5cm FR Reflective Tape At shoulder & Arms
- High quality Vislon Zipper at front
- Zip at Back Neck for Hood
- Two Front side pockets



CATEGORY CAT 2 & ATPV RATING 12 CAL

SIZE RANGE (CM)

SIZE	CHEST	LENGTH HPS-BTM
S	62.00	70.50
M	64.00	72.50
L	66.00	74.50
XL	68.50	76.50
2XL	70.00	78.00
3XL	72.50	80.50
4XL	74.00	82.00
5XL	76.50	84.50

Colors



Dark Navy

Standards





INNEX JACKET (NON FR)

(95% POLYESTER 5% ELASTAN)

Fabric Specification

Weight:

320GSM

Care Instructions



Maximum washing
temperature 60 °C
normal process



Do not
bleach



Professional
dry cleaning



Iron at a maximum
sole-plate
temperature of 150 °C



Do not
tumble dry

Product Features

- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Mesh inside to warm the body
- High quality Vislon Zipper at front
- 2 Side pockets with zip,
- Adjustable bottom with internal drawstring.
- Elastic tube with a diameter of 3 mm.
- Apply Plastic stoppers for adjustment and locking
- Detachable Hood with zip



Colors

- Dark Navy
- Black

SIZE RANGE (CM)

SIZE	CHEST	LENGTH HPS-BTM
S	48	70
M	51	70
L	54	72
XL	60	74
2XL	63	74
3XL	66	76
4XL	69	76



NON FR WINTER JACKET

(PC 65:35)

Fabric Specification

Weight:

250GSM

Care Instructions



Maximum washing
temperature 60 °C
normal process



Do not
bleach



Professional
dry cleaning



Iron at a maximum
sole-plate
temperature of 150 °C



Do not
tumble dry

Product Features

- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Quilting inside to warm the body
- Reflective tape binding at front
- High quality Vislon Zipper at front
- Two Front side pockets



Colors



Dark Navy

SIZE RANGE (CM)

SIZE	CHEST	LENGTH HPS-BTM
S	62.00	70.50
M	64.00	72.50
L	66.00	74.50
XL	68.50	76.50
2XL	70.00	78.00
3XL	72.50	80.50
4XL	74.00	82.00
5XL	76.50	84.50



IFR ROCK 150 GSM JACKET

(ROCK)

Fabric Specification

Weight:

150GSM

Specialty:

Inherent Fire Retardant(IFR) & Antistatic Finish

Care Instructions



Maximum washing
temperature 60 °C
normal process



Do not
bleach



Professional
dry cleaning



Iron at a maximum
sole-plate
temperature of 150 °C



Do not
tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Quilting inside to warm the body
- 2.5cm FR Reflective Tape at shoulder & Arms
- High quality Vislon Zipper at front
- Front Pockets with Flap
- Two Front side pockets
- All trims are FR including quilting.



ATPV- 4.1

Standards



Colors

- Royal Blue
- Green
- Navy Blue
- Red

SIZE RANGE (CM)

SIZE	CHEST	LENGTH HPS-BTM
S	62.00	70.50
M	64.00	72.50
L	66.00	74.50
XL	68.50	76.50
2XL	70.00	78.00
3XL	72.50	80.50
4XL	74.00	82.00
5XL	76.50	84.50



IFR MARRAT 150 GSM JACKET

(MARRAT)

Fabric Specification

Weight:
150GSM

Specialty:
Inherent Fire Retardant(IFR) & Antistatic Finish

Care Instructions



Maximum washing
temperature 60 °C
normal process



Do not
bleach



Professional
dry cleaning



Iron at a maximum
sole-plate
temperature of 150 °C



Do not
tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Quilting inside to warm the body
- 2.5cm FR Reflective Tape at shoulder & Arms
- High quality Vislon Zipper at front
- Front Pockets with Flap
- Two Front side pockets
- All trims are FR including quilting.



Standards



Colors

- Royal Blue
- Navy Blue
- Red
- Green

SIZE RANGE (CM)

SIZE	CHEST	LENGTH HPS-BTM
S	62.00	70.50
M	64.00	72.50
L	66.00	74.50
XL	68.50	76.50
2XL	70.00	78.00
3XL	72.50	80.50
4XL	74.00	82.00
5XL	76.50	84.50



INHERENT FLAME RETARDANT (IFR)

- Pants
- Shirts
- Coveralls
- 2 Pc Coveralls (Pants & Shirts)

**High Thermal Protective
Performance (TPP)**





IFR ROCK 150 GSM SHIRT

(93% META ARAMID 5% PARA ARAMID 2% ANTISTATIC)

Fabric Specification

Weight:

150GSM

Specialty:

Inherent Fire Retardant(IFR) & Antistatic Finish

Care Instructions



Maximum washing
temperature 60 °C
normal process



Do not
bleach



Professional
dry cleaning



Iron at a maximum
sole-plate
temperature of 150 °C



Do not
tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Excellent colorfastness. 3% washing shrinkage
- Inherent FR Properties lasts lifetime of the fabric
- FR Sewing thread & Buttons
- FR Properties lasts lifetime of the fabric
- Chest pockets with flaps
- All Labelling NON FR
- Bartack at all stress points



■ ATPV- 4.1

SIZE RANGE (CM)

SIZE	COLLAR/ NECK LENGTH	LENGTH (From HPS)
S	36.00	74.50
M	38.50	76.50
L	41.00	78.50
XL	43.50	80.50
2XL	46.00	81.00
3XL	48.50	81.50
4XL	51.00	82.00
5XL	53.50	82.50

Colors



Ocean Blue



Grey



Beige

Standards





IFR MERCK 190 PANTS

(74% META ARAMID 5% PARA ARAMID 19% MOD 2% ANTI)

Fabric Specification

Weight:

190GSM

Specialty:

Inherent FR

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Bone pockets at back
- Two Front side pockets
- All Labelling NON FR
- FR THREAD, ZIPPER, BUTTONS

Standards



CAT 2 & ATPV- 9.4

SIZE RANGE (CM)

SIZE	WAIST (HALF)	INSEAM
28	40	81
30	42	81
32	44	81
34	46	81
36	48	81
38	51	81
40	53	81
42	55.5	81
44	57	81
46	59	81
48	61.5	81
50	64	81
52	66.5	81
54	69	81
56	71.5	81

Colors



Dark Navy



INHERENT/FLAME RETARDANT COVERALL

(ROCK 150)(93% META ARAMID 5% PARA ARAMID 2% ANTISTATIC)

Fabric Specification

Weight:

150GSM

Specialty:

Inherent Fire Retardant(IFR) & Antistatic Finish

Care Instructions



Maximum washing
temperature 60 °C
normal process



Do not
bleach



Professional
dry cleaning



Iron at a maximum
sole-plate
temperature of 150 °C



Do not
tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Excellent colorfastness. 3% washing shrinkage
- Inherent FR Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- FR reflective tape 2.5CM with Minimum 330cd/lx.m2 reflection value
- Flexible adjustments at cuff with Snap Buttons
- Chest Pockets with flaps & Snap buttons for Secure Storage
- Permanent sewn crease line at front Panel
- Back pockets (One is with Flap & snap button)
- FR Sewing thread & Snap Button
- FR Double slider Metal Zipper at front Chest opening for easy to wear
- Bartack at all stress points



CATEGORY CAT 1
& ATPV RATING 4.1 CAL

SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	59.00	67.00	149.50
M	61.00	69.00	153.50
L	63.00	71.00	157.50
XL	65.00	73.00	163.50
2XL	67.00	75.00	165.50
3XL	69.00	77.00	169.50
4XL	71.00	79.00	173.50
5XL	73.00	81.00	177.50
6XL	75.00	83.00	181.50
7XL	77.00	85.00	185.50
8XL	79.00	87.00	189.50
9XL	81.00	89.00	193.50

Colors

- Royal Blue
- Light Royal Blue

Standards





IFR MERCK 190 COVERALL

(74% META ARAMID 5% PARA ARAMID 19% MOD 2% ANTI)

Fabric Specification

Weight:

190GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing
temperature 60 °C
normal process



Do not
bleach



Professional
dry cleaning



Iron at a maximum
sole-plate
temperature of 150 °C



Do not
tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Excellent colorfastness. 3% washing shrinkage
- Inherent FR Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- FR reflective tape 2.5CM with Minimum 330cd/lx.m2 reflection value
- Flexible adjustments at cuff with Snap Buttons
- Chest Pockets with flaps & Snap buttons for Secure Storage
- Permanent sewn crease line at front Panel
- Back pockets (One is with Flap & snap button)
- FR Sewing thread & Snap Button
- FR Double slider Metal Zipper at front Chest opening for easy to wear
- Bartack at all stress points



CATEGORY CAT 2
APTV 9.4


SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	59.00	67.00	149.50
M	61.00	69.00	153.50
L	63.00	71.00	157.50
XL	65.00	73.00	163.50
2XL	67.00	75.00	165.50
3XL	69.00	77.00	169.50
4XL	71.00	79.00	173.50
5XL	73.00	81.00	177.50
6XL	75.00	83.00	181.50
7XL	77.00	85.00	185.50
8XL	79.00	87.00	189.50
9XL	81.00	89.00	193.50

Colors

■ Dark Navy

Standards







SAFETY VESTS

(FR & NON-FR TWILLS)

Fabric Specification

Weight:

200GSM-270GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Cover cloths from stains
- 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Zipper at front – High quality of Vislon

Standards



CATEGORY CAT 1&2
& ATPV RATING
8CAL-13CAL

SIZE RANGE (CM)

SIZE	CHEST	LENGTH HPS-BTM
S	58.00	65.00
M	60.00	67.00
L	62.00	68.00
XL	64.50	69.00
2XL	66.00	70.00
3XL	68.50	71.00
4XL	70.00	72.00
5XL	72.50	73.00

Colors

- Yellow
- Black
- Green
- Orange





EXCLUSIVE NEW PRODUCT **FR DENIM PANTS**

Today's workers are looking for the fits, features and finishes of retail-ready denim, but with proven Flame-Resistant protection.



Sarena is at their service!



FR DENIM PANTS WASHED PROGRAMME

(STRETCH & WITHOUT STRETCH)

Fabric Specification

Weight:

280-320GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing
temperature 60 °C
normal process



Do not
bleach



Professional
dry cleaning



Iron at a maximum
sole-plate
temperature of 150 °C



Do not
tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Resilient to Heat
- Excellent performance with durability & thickness
- Fairly high energy exposure
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- 5 Pkt's products

Standards



■ CATEGORY CAT 1 & 2
& ATPV RATING 8, 10 & 12 CAL

SIZE RANGE (CM)

SIZE	WAIST (HALF)	INSEAM
28	40	81
30	42	81
32	44	81
34	46	81
36	48	81
38	51	81
40	53	81
42	55.5	81
44	57	81
46	59	81
48	61.5	81
50	64	81
52	66.5	81
54	69	81
56	71.5	81

Colors



Dark Navy



Mid Navy



FR DENIM PANTS

(STRETCH & WITHOUT STRETCH/ REFLECTIVE TAPE)

Fabric Specification

Weight:

280-320GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Resilient to Heat
- Excellent performance with durability & thickness
- Fairly high energy exposure
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- 5 Pkt's products

Standards



■ CATEGORY CAT 1 & 2
& ATPV RATING 8, 10 & 12 CAL

SIZE RANGE (CM)

SIZE	WAIST (HALF)	INSEAM
28	40	81
30	42	81
32	44	81
34	46	81
36	48	81
38	51	81
40	53	81
42	55.5	81
44	57	81
46	59	81
48	61.5	81
50	64	81
52	66.5	81
54	69	81
56	71.5	81

Colors



Dark Navy



Mid Navy



FR CHINO PANTS



FR ARIZONA PANT

Fabric Specification

Weight:

195GSM

Specialty:

Proban Fire Retardant

Care Instructions

Do not
bleachProfessional
dry cleaningIron at a maximum
sole-plate
temperature of 150 °CDo not
tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Bone pockets at back
- Two Front side pockets

Standards



SIZE RANGE (CM)

SIZE	WAIST (HALF)	INSEAM
28	40	81
30	42	81
32	44	81
34	46	81
36	48	81
38	51	81
40	53	81
42	55.5	81
44	57	81
46	59	81
48	61.5	81
50	64	81
52	66.5	81
54	69	81
56	71.5	81

Colors



Dark Navy



FR PANTS/ALASKA

Fabric Specification

Weight:

240GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Bone pockets at back
- Two Front side pockets

Standards



■ CATEGORY CAT 2 & ATPV RATING 8 CAL

SIZE RANGE (CM)

SIZE	WAIST (HALF)	INSEAM
28	40	81
30	42	81
32	44	81
34	46	81
36	48	81
38	51	81
40	53	81
42	55.5	81
44	57	81
46	59	81
48	61.5	81
50	64	81
52	66.5	81
54	69	81
56	71.5	81

Colors



Dark Navy



FR TOUCHSTONE STRETCH PANTS

(WITH NEGA)

Fabric Specification

Weight:

275GSM

Specialty:

Proban Fire Retardant & Anti Static

Care Instructions



Maximum washing
temperature 60 °C
normal process



Do not
bleach



Professional
dry cleaning



Iron at a maximum
sole-plate
temperature of 150 °C



Do not
tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Bone pockets at back
- Two Front side pockets

Standards



CATEGORY CAT 2 & ATPV
RATING 10 CAL

SIZE RANGE (CM)

SIZE	WAIST (HALF)	INSEAM
28	40	81
30	42	81
32	44	81
34	46	81
36	48	81
38	51	81
40	53	81
42	55.5	81
44	57	81
46	59	81
48	61.5	81
50	64	81
52	66.5	81
54	69	81
56	71.5	81

Colors



Dark Navy



Black



Khaki



FR E-ARC 12 CAL PANTS

(BIYAS)

Fabric Specification

Weight:

288GSM

Specialty:

Proban Fire Retardant, Antistatic Finish & ARC Resistant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Bone pockets at back
- Two Front side pockets

Standards



■ CATEGORY CAT 2 & ATPV RATING 12 CAL

SIZE RANGE (CM)

SIZE	WAIST (HALF)	INSEAM
28	40	81
30	42	81
32	44	81
34	46	81
36	48	81
38	51	81
40	53	81
42	55.5	81
44	57	81
46	59	81
48	61.5	81
50	64	81
52	66.5	81
54	69	81
56	71.5	81

Colors



Dark Navy



Black



FR CARGO TROUSERS

(ALASKA Stretch)

Fabric Specification

Weight:

240GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing
temperature 60 °C
normal process



Do not
bleach



Professional
dry cleaning



Iron at a maximum
sole-plate
temperature of 150 °C



Do not
tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Bone pockets at back
- Two Front side pockets



CATEGORY CAT 2 & ATPV
RATING 8 CAL

SIZE RANGE (CM)

SIZE	WAIST (HALF)	INSEAM
28	40	81
30	42	81
32	44	81
34	46	81
36	48	81
38	51	81
40	53	81
42	55.5	81
44	57	81
46	59	81
48	61.5	81
50	64	81
52	66.5	81
54	69	81
56	71.5	81

Colors



Dark Navy

Standards





NON FR WILLEX TROUSER

(ASTRO)

Fabric Specification

Weight:

240GSM

Care Instructions



Maximum washing
temperature 60 °C
normal process



Do not
bleach



Professional
dry cleaning



Do not
tumble dry

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Bone Pockets at back
- Front WB With Draw cord
- High Vis Yellow Reflective tape or grey Reflective tape
- Side Bellow Cargo Pockets.
- Bartack at all stress point



SIZE RANGE (CM)

SIZE	WAIST (HALF)	INSEAM
28	40	81
30	42	81
32	44	81
34	46	81
36	48	81
38	51	81
40	53	81
42	55.5	81
44	57	81
46	59	81
48	61.5	81
50	64	81
52	66.5	81
54	69	81
56	71.5	81

Colors



Dark Navy



Black



Grey



FR PANTS/ALASKA STRETCH

Fabric Specification

Weight:

240GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Bone pockets at back
- Two Front side pockets

Standards



Colors



Dark Navy



■ CATEGORY CAT 2 & ATPV RATING 8 CAL

SIZE RANGE (CM)

SIZE	WAIST (HALF)	INSEAM
28	40	81
30	42	81
32	44	81
34	46	81
36	48	81
38	51	81
40	53	81
42	55.5	81
44	57	81
46	59	81
48	61.5	81
50	64	81
52	66.5	81
54	69	81
56	71.5	81



NON FR CHINO PANT

PC 65:35

Fabric Specification

Weight:

240GSM

Care Instructions



Maximum washing
temperature 60 °C
normal process



Do not
bleach



Professional
dry cleaning



Do not
tumble dry

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Bone Pockets at back
- Two front side pockets
- Bartack at all stress point



SIZE RANGE (CM)

SIZE	WAIST (HALF)	INSEAM
28	40	81
30	42	81
32	44	81
34	46	81
36	48	81
38	51	81
40	53	81
42	55.5	81
44	57	81
46	59	81
48	61.5	81
50	64	81
52	66.5	81
54	69	81
56	71.5	81

Colors



Dark Navy



Black



Khaki



NON FR CHEF PANT

PC 65:35/STRIPE

Fabric Specification

Weight:

200GSM

Care Instructions



Maximum washing
temperature 60 °C
normal process



Do not
bleach



Professional
dry cleaning



Do not
tumble dry

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Bone Pockets at back
- Two front side pockets
- Bartack at all stress point



SIZE RANGE (CM)

SIZE	WAIST (HALF)	INSEAM
28	40	81
30	42	81
32	44	81
34	46	81
36	48	81
38	51	81
40	53	81
42	55.5	81
44	57	81
46	59	81
48	61.5	81
50	64	81
52	66.5	81
54	69	81
56	71.5	81

Colors

Black & White



FR & NON FR SHIRTS



FR OLYMPIA SHIRT

Fabric Specification

Weight:

175GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing
temperature 60 °C
normal process



Do not
bleach



Professional
dry cleaning



Iron at a maximum
sole-plate
temperature of 150 °C



Do not
tumble dry


Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Chest pockets with flaps and snap buttons for secure storage
- Bartack at all stress points
- Additional tool pocket at shoulder

Standards



Colors



SIZE RANGE (CM)

SIZE	COLLAR/ NECK LENGTH	LENGTH (From HPS)
S	36.00	74.50
M	38.50	76.50
L	41.00	78.50
XL	43.50	80.50
2XL	46.00	81.00
3XL	48.50	81.50
4XL	51.00	82.00
5XL	53.50	82.50



FR SHIRT

(RANZOW)

Fabric Specification

Weight:

200GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Chest pockets with flaps and snap buttons for secure storage
- Bartack at all stress points
- Additional tool pocket at shoulder

Standards



CAT 2 & ATPV RATING 8 CAL

SIZE RANGE (CM)

SIZE	COLLAR/ NECK LENGTH	LENGTH (From HPS)
S	36.00	74.50
M	38.50	76.50
L	41.00	78.50
XL	43.50	80.50
2XL	46.00	81.00
3XL	48.50	81.50
4XL	51.00	82.00
5XL	53.50	82.50

Colors



Ocean Blue



Sand



Grey



Red



FR STRETCH SHIRT

(TOUCH STONE STRETCH WITH & WITHOUT NEGA)

Fabric Specification

Weight:

270GSM

Specialty:

Proban Fire Retardant & Antistatic Finish

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Chest pockets with flaps and snap buttons for secure storage
- Bartack at all stress points
- Additional tool pocket at shoulder

Standards



CATEGORY CAT 2 & ATPV RATING 10 CAL

Colors



Ocean Blue



Red



Sand



Grey

SIZE RANGE (CM)

SIZE	COLLAR/ NECK LENGTH	LENGTH (From HPS)
S	36.00	74.50
M	38.50	76.50
L	41.00	78.50
XL	43.50	80.50
2XL	46.00	81.00
3XL	48.50	81.50
4XL	51.00	82.00
5XL	53.50	82.50



FR ANTISTATIC SHIRT WITH NEGA

(RAKAPOSHI)

Fabric Specification

Weight:

220GSM

Specialty:

Proban Fire Retardant & Antistatic Finish

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Chest pockets with flaps and snap buttons for secure storage
- Bartack at all stress points
- Additional tool pocket at shoulder



CATEGORY CAT 2 & ATPV RATING 10 CAL

SIZE RANGE (CM)

SIZE	COLLAR/NECK LENGTH	LENGTH (From HPS)
S	36.00	74.50
M	38.50	76.50
L	41.00	78.50
XL	43.50	80.50
2XL	46.00	81.00
3XL	48.50	81.50
4XL	51.00	82.00
5XL	53.50	82.50

Colors



Ocean Blue



Sand



Red

Standards





FR STRETCH NEGA SHIRT

(REMMY-NEGA)

Fabric Specification

Weight:

220GSM

Specialty:

Proban Fire Retardant & anti static

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Chest pockets with flaps and snap buttons for secure storage
- Bartack at all stress points
- Additional tool pocket at shoulder



CAT 2 & ATPV RATING 11 CAL

SIZE RANGE (CM)

SIZE	COLLAR/ NECK LENGTH	LENGTH (From HPS)
S	36.00	74.50
M	38.50	76.50
L	41.00	78.50
XL	43.50	80.50
2XL	46.00	81.00
3XL	48.50	81.50
4XL	51.00	82.00
5XL	53.50	82.50

Colors



Ocean Blue



Grey



Sand

Standards





FR E-ARC 12 CAL SHIRT

(BIYAS)

Fabric Specification

Weight:

288GSM

Specialty:

Proban Fire Retardant, Antistatic Finish & ARC Resistant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Chest pockets with flaps and snap buttons for secure storage
- Bartack at all stress points
- Additional tool pocket at shoulder



CATEGORY CAT 2
& ATPV RATING 12 CAL

SIZE RANGE (CM)

SIZE	COLLAR/ NECK LENGTH	LENGTH (From HPS)
S	36.00	74.50
M	38.50	76.50
L	41.00	78.50
XL	43.50	80.50
2XL	46.00	81.00
3XL	48.50	81.50
4XL	51.00	82.00
5XL	53.50	82.50

Colors

- Ocean Blue
- Sand
- Grey
- Navy

Standards





NON-FR EXECUTIVE SHIRT

(OXFORD YARN DYED)

Fabric Specification

Weight:

170GSM

Specialty:

Oxford yarn dyed

Care Instructions



Maximum washing
temperature 40 °C
normal process



Do not
bleach



Professional
dry cleaning



Iron at a maximum
sole-plate
temperature of 150 °C



Do not
tumble dry

Product Features

- Breathable, Soft to wear
- Fit to body and executive look
- Superior colorfastness
- 3% washing shrinkage



Colors

 Sky Blue

 Grey

 White

SIZE RANGE (CM)

SIZE	COLLAR/ NECK LENGTH	LENGTH (From HPS)
S	36.00	74.50
M	38.50	76.50
L	41.00	78.50
XL	43.50	80.50
2XL	46.00	81.00
3XL	48.50	81.50
4XL	51.00	82.00
5XL	53.50	82.50

A construction worker is shown in profile, facing right, working on a building site. He is wearing a white hard hat, safety glasses, and a high-visibility yellow and blue safety vest over a dark blue long-sleeved shirt. He is also wearing dark blue pants with orange accents and safety gloves. He is holding a large, thick, brown rebar with both hands, pulling it towards a bundle of similar rebar. The background shows a construction site with concrete walls, wooden scaffolding, and a clear sky.

2 PCS (PANTS & SHIRTS)



FR 2 PC JUPITER PANTS & SHIRTS

(JUPITER)

Fabric Specification

Weight:

250GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing
temperature 60 °C
normal process



Do not
bleach



Professional
dry cleaning



Do not
tumble dry

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff.
- Chest Pockets with flaps and snap buttons.
- Bartack at all stress points

Standards



CATEGORY CAT 2 & ATPV
RATING 8 CAL

SIZE RANGE (CM)

	PANT	SHIRT
SIZE	WAIST (HALF)	COLLAR/NECK LENGTH
S	43.00	42.00
M	45.00	43.00
L	47.00	44.00
XL	49.00	45.00
2XL	51.00	46.00
3XL	53.00	47.00
4XL	55.00	48.00
5XL	57.00	49.00
6XL	59.00	50.00
7XL	61.00	51.00
8XL	63.0	52.00
9XL	65.00	53.00

Colors



Royal Blue



Navy Blue



Red



Orange



Grey



Khaki



FR 2 PC SAFE EXPRESS PANTS & SHIRTS

(BOLAN)

Fabric Specification

Weight:

255GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Do not tumble dry

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff.
- Chest Pockets with flaps and snap buttons.
- Bartack at all stress points

Standards



CATEGORY CAT 2 & ATPV RATING 8.7 CAL

SIZE RANGE (CM)

	PANT	SHIRT
SIZE	WAIST (HALF)	COLLAR/NECK LENGTH
S	43.00	42.00
M	45.00	43.00
L	47.00	44.00
XL	49.00	45.00
2XL	51.00	46.00
3XL	53.00	47.00
4XL	55.00	48.00
5XL	57.00	49.00
6XL	59.00	50.00
7XL	61.00	51.00
8XL	63.0	52.00
9XL	65.00	53.00

Colors

- Royal Blue
- Navy Blue
- Red
- Orange
- Grey
- Khaki



FR 2 PC 12 CAL PANTS & SHIRTS

(BIYAS) E-ARC

Fabric Specification

Weight:

288GSM

Specialty:

Proban Fire Retardant, Antistatic Finish & ARC Resistance

Care Instructions



Maximum washing
temperature 60 °C
normal process



Do not
bleach



Professional
dry cleaning



Iron at a maximum
sole-plate
temperature of 150 °C



Do not
tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Excellent colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Elasticated waist for close fitting at Pant
- Double reflective tape 2.5CM with Minimum 330cd/lx.m2 reflection value
- Chest Pockets with flaps & Snap buttons for Secure Storage
- Bartack at all stress points

Standards



CATEGORY CAT 2
& ATPV RATING 12 CAL

SIZE RANGE (CM)

	PANT	SHIRT
SIZE	WAIST (HALF)	COLLAR/NECK LENGTH
S	43.00	42.00
M	45.00	43.00
L	47.00	44.00
XL	49.00	45.00
2XL	51.00	46.00
3XL	53.00	47.00
4XL	55.00	48.00
5XL	57.00	49.00
6XL	59.00	50.00
7XL	61.00	51.00
8XL	63.0	52.00
9XL	65.00	53.00
10XL	67.00	54.00

Colors



Royal Blue



Navy Blue



FR 13 CAL SPLASH GUARD PANTS & SHIRTS

(INDUS)

Fabric Specification

Weight:

345GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing
temperature 60 °C
normal process



Do not
bleach



Professional
dry cleaning



Do not
tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Elasticated waist for close fitting
- Additional Adjustment for fitting at cuff
- Bartack at all stress points
- Special coated buttons at front

Standards



CATEGORY CAT 2
& ATPV RATING 13 CAL

SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	59.00	67.00	149.50
M	61.00	69.00	153.50
L	63.00	71.00	157.50
XL	65.00	73.00	163.50
2XL	67.00	75.00	165.50
3XL	69.00	77.00	169.50
4XL	71.00	79.00	173.50
5XL	73.00	81.00	177.50
6XL	75.00	83.00	181.50
7XL	77.00	85.00	185.50
8XL	79.00	87.00	189.50
9XL	81.00	89.00	193.50

Colors

- Royal Blue
- Navy Blue



NON-FR REFLECTIVE PANTS & SHIRT

Fabric Specification

Weight:

220GSM

Care Instructions



Maximum washing
temperature 60 °C
normal process



Do not
bleach



Professional
dry cleaning



Do not
tumble dry

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff.
- Double Slider zipper at front chest opening for easy to wear
- Bartack at all stress points



Colors

- Royal Blue
- Navy Blue

SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	57.00	65.00	142.00
M	59.00	67.00	146.00
L	61.00	69.00	150.00
XL	63.00	71.00	154.00
2XL	65.00	73.00	158.00
3XL	67.00	75.00	162.00
4XL	69.00	77.00	166.00
5XL	71.00	79.00	170.00



NON FR SAFEX 2 PCS PANT & SHIRT

(100% COTTON)

Fabric Specification

Weight: 200GSM
Weave: 2/1S Twill

Care Instructions



Maximum washing
temperature 60 °C
normal process



Do not
bleach



Professional
dry cleaning



Do not
tumble dry

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- 2.5 CM Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff.
- Elasticated waist for Close fitting.
- Chest Pockets with flaps & Plastic buttons
- Bartack at all stress point



SIZE RANGE (CM)

	PANT	SHIRT
SIZE	WAIST (HALF)	COLLAR/NECK LENGTH
S	43.00	42.00
M	45.00	43.00
L	47.00	44.00
XL	49.00	45.00
2XL	51.00	46.00
3XL	53.00	47.00
4XL	55.00	48.00
5XL	57.00	49.00
6XL	59.00	50.00
7XL	61.00	51.00
8XL	63.00	52.00
9XL	65.00	53.00



NON FR 2PCS PANTS & SHIRTS- SN 33

(100% Cotton)

Fabric Specification

Weight:

200 GSM

Weave:

2/1S Twill

Care Instructions



Maximum washing
temperature 60 °C
normal process



Do not
bleach



Professional
dry cleaning



Iron at a maximum
sole-plate
temperature of 150 °C



Do not
tumble dry

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- 5 CM Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff.
- Elasticated waist for Close fitting.
- Chest Pockets with flaps & Plastic buttons
- Bartack at all stress point



Colors



Royal Blue

Navy Blue



Red

Grey



Orange

SIZE RANGE (CM)

	PANT	SHIRT
SIZE	WAIST (HALF)	COLLAR/NECK LENGTH
S	43.00	42.00
M	45.00	43.00
L	47.00	44.00
XL	49.00	45.00
2XL	51.00	46.00
3XL	53.00	47.00
4XL	55.00	48.00
5XL	57.00	49.00
6XL	59.00	50.00
7XL	61.00	51.00
8XL	63.0	52.00
9XL	65.00	53.00



FR 2 PC SAFE EXPRESS PANTS & SHIRTS (CONTRAST)

(BOLAN)

Fabric Specification

Weight:

255GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing
temperature 60 °C
normal process



Do not
bleach



Professional
dry cleaning



Do not
tumble dry

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff.
- Chest Pockets with flaps and snap buttons.
- Bartack at all stress points

Standards



■ CATEGORY CAT 2 & ATPV
RATING 8.7 CAL

SIZE RANGE (CM)

	PANT	SHIRT
SIZE	WAIST (HALF)	COLLAR/NECK LENGTH
S	43.00	42.00
M	45.00	43.00
L	47.00	44.00
XL	49.00	45.00
2XL	51.00	46.00
3XL	53.00	47.00
4XL	55.00	48.00
5XL	57.00	49.00
6XL	59.00	50.00
7XL	61.00	51.00
8XL	63.0	52.00
9XL	65.00	53.00

Colors



Royal Blue



Navy Blue



Red



Orange



Grey



Khaki



AMAROMA PANTS & SHIRTS

Fabric Specification

Weight:

230GSM

Care Instructions



Maximum washing
temperature 60 °C
normal process



Do not
bleach



Professional
dry cleaning



Do not
tumble dry

Product Features

- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff
- Double layer fabric making
- Additional tool pockets inner side.
- High quality Vislon 2 WAY Zipper at front
- Chest Pockets with flaps and snap buttons.
- Bartack at all stress points



SIZE RANGE (CM)

	PANT	SHIRT
SIZE	WAIST (HALF)	COLLAR/NECK LENGTH
S	43.00	42.00
M	45.00	43.00
L	47.00	44.00
XL	49.00	45.00
2XL	51.00	46.00
3XL	53.00	47.00
4XL	55.00	48.00
5XL	57.00	49.00
6XL	59.00	50.00
7XL	61.00	51.00
8XL	63.0	52.00
9XL	65.00	53.00
10XL	67.00	54.00

Colors

- HI VIS Orange
- HI VIS Yellow



APRONS

(FR, NON-FR, DENIMS & TWILLS)

Fabric Specification

Weight:

200GSM-270GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Cover cloths from stains
- Metal Rivets upon requirement

Standards



CATEGORY CAT 1&2
& ATPV RATING
8CAL-13CAL

Colors

- Royal Blue
- Dark Navy
- Red
- Denim Wash
- Green
- Grey
- Khaki

SIZE RANGE (CM)

SIZE	CHEST	LENGTH HPS-BTM
S	24.00	31.00
M	25.00	32.00
L	26.00	33.00
XL	27.00	34.00
2XL	28.00	35.00
3XL	29.00	36.00
4XL	30.00	37.00
5XL	31.00	38.00



LAB COATS

(FR, NON-FR & TWILLS)

Fabric Specification

Weight:

200GSM-270GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Cover cloths from stains
- Front two pocket bags for Doctors own personal material to keep



CATEGORY CAT 1&2 & ATPV RATING 8CAL-13CAL

SIZE RANGE (CM)

SIZE	CHEST	LENGTH HPS-BTM
S	57.00	98.00
M	59.00	100.00
L	61.00	102.00
XL	63.00	104.00
2XL	65.00	106.00
3XL	67.50	108.00
4XL	69.00	110.00
5XL	71.00	112.00

Colors

- Dark Navy
- Red

- White
- Grey

Standards





LADIES FR 2PCS PANT & SHIRT

(BOLAN)

Fabric Specification

Weight:

255GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing
temperature 60 °C
normal process



Do not
bleach



Professional
dry cleaning



Do not
tumble dry

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- Double 2.5 CM Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff.
- Chest Pockets with flaps and snap buttons.
- Bartack at all stress points

Standards



CATEGORY CAT 2 & ATPV
RATING 8.7 CAL

SIZE RANGE (CM)

	PANT	SHIRT
SIZE	WAIST (HALF)	COLLAR/NECK LENGTH
S		
M		
L		
XL		
2XL		
3XL		
4XL		
5XL		
6XL		
7XL		
8XL		
9XL		

Colors

	Royal Blue		Orange
	Navy Blue		Grey
	Red		Khaki



CHEF'S JACKET

(FR, NON-FR & TWILLS)

Fabric Specification

Weight:

200GSM-270GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Cover cloths from stains
- Front bone pocket & buttons at front plackets



CATEGORY CAT 1&2
& ATPV RATING
8CAL-13CAL

SIZE RANGE (CM)

SIZE	CHEST	LENGTH HPS-BTM
S	50.00	70.00
M	55.00	72.00
L	60.00	74.00
XL	65.00	76.00
2XL	70.00	78.00
3XL	75.00	80.00
4XL	80.00	82.00
5XL	85.00	84.00

Colors

Dark Navy

White

Standards





2 PC SCRUBS

(NON-FR & TWILLS-STRETCH)

Fabric Specification

Weight:

175GSM-240GSM

Care Instructions



Maximum washing temperature 40 °C-60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Resilient to Heat
- Excellent performance with durability & thickness
- Fairly high energy exposure
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- 5 Pkt's products



Colors

- Light Royal Blue
- Red
- White
- Olive

SIZE RANGE (CM)

SIZE	CHEST	LENGTH HPS-BTM
S	50.00	70.00
M	55.00	72.00
L	60.00	74.00
XL	65.00	76.00
2XL	70.00	78.00
3XL	75.00	80.00
4XL	80.00	82.00
5XL	85.00	84.00



PUFFER JACKETS

All Types

WINTER ESSENTIALS

Speciality: Organic & Synthetic Filling







PANTS, SHORTS, DENIM 5 PKT PANTS

(STRETCH & NON-STRETCH)

Fabric Specification

Weight: 8 OZ-12 OZ
Speciality: Highly Indigo

Special Process GWP

Dry process/PP Spray/Grinding/Patches
/Ripping/Moustaches/ 3D Wrinkles

Care Instructions



Maximum washing
temperature 40 °C
normal process



Iron at a maximum
sole-plate
temperature of 150 °C



Do not
bleach



Professional
dry cleaning



Do not
tumble dry

Wash Colors

Dark Wash
Mid Wash
Light/bleach Wash
Random Acid Wash

FIT

SLIM – SKINNY – STRAIGHT

Product Features

- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- Normal Pockets at back panel
- Two Front scoop pockets
- Zip Fly or Button Fly
- Printed & Plain Pocket bags



SIZE RANGE (CM)		
SIZE	WAIST (HALF)	INSEAM
28	40	81
30	42	81
32	44	81
34	46	81
36	48	81
38	51	81
40	53	81
42	55	81
44	57	81
46	59	81
48	61.5	81
50	64	81
52	66.5	81
54	69	81
56	71.5	81



CARGO PANTS & CHINOS

(STRETCH & NON-STRETCH FASHIONWEAR)

Colors

All Types of Colors

Fabric Specification

Weight:

6 OZ-12 OZ

Specialty:

Peach Finishes qualities

Care Instructions



Maximum washing temperature 40 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- Bone pockets at back
- Two Front side pockets
- Elasticated WB Or Without Elasticated WB
- Zip Fly or Button Fly
- Printed & Plain Pocket bags



FIT

SLIM – SKINNY – STRAIGHT

SIZE RANGE (CM)

SIZE	WAIST (HALF)	INSEAM
28	38.00	81.00
30	40.50	81.00
32	43.00	81.00
34	45.50	81.00
36	48.00	81.00
38	50.50	81.00
40	53.00	81.00



SARENA'S COMPLIANCE TRANSPARENCY

EXCELLENCE | SIGNIFICANCE | INSTITUTIONALIZATION

In line with our promise to be an internationally accredited manufacturer with sustainable and environmentally responsible practices, Sarena is fully certified and compliant with the following accreditations:





SARENA'S APPROACH TOWARDS SUSTAINABILITY

KEY HIGHLIGHTS



35%

Energy Saved through Innovation



4.2 MW

Installation of 4.2 MW Solar system

SUPPLY CHAIN SAVINGS



577,101

Cubic meters of water saved in cotton cultivation.



4.1 M

Plastic bottles recovered and recycled.



1,902

Kilograms of pesticide use on cotton avoided.

SAVINGS INITIATIVES

35.0%

of water consumption, saved from innovative technologies

64

liter water/Kg Production

3,840

Cubic meters per day of waste water treatment capacity.



17,080

people's domestic needs are met with Sarena's water savings.



58%

Reduction from Baseline 2016

ENVIRONMENTAL IMPACT




4,500

Plants and trees were planted in our facility in 2025



167

Tons CO₂ sequestered on average by plants in Sarena in 2025



SOLAR ENERGY IMPACT



115,310

Homes can be powered for 1 year



103

Days of continuous operations can be powered at Sarena

REFERENCES

- Textile Industry, En Bref, 2003. Revue Forestière Française, 2, 201
- Industrial carbon footprint of several typical Chinese textile fabrics, 2016. Y Yan, et al. 10.1016/j.chnaes.2015.09.002, Acta Ecologica Sinica.
- Cooper, C.F. 1983, 'Carbon Storage in Managed Forests, 'Canadian Journal of Forestry Research 13, 155-166
- Brown, S., Lugo, A.E., and Chapman, J. 1985, 'Biomass of Tropical Tree Plantations and Its Implications for the Global Carbon Budget' Canadian Journal of Forestry Research 16, 390-394.
- Department for Business, Energy & Industrial Strategy, 'UK greenhouse gas emissions: 2021', 30 March 2021,13-14
- The World Counts. (n.d.). <https://www.theworldcounts.com/stories/paper-waste-facts>



INFINITE POSSIBILITIES

IMRAN AHMED

BUSINESS DEVELOPMENT
MANAGER



+971 50 517 8797



imran.ahmed@sarenapk.com

SHEIKH MAQSOOD AHMAD

SR. BUSINESS DEVELOPMENT
MANAGER



+971 50 253 0779



sheikh.maqsood@sarenapk.com

FOR GENERAL QUERIES

marketing@shazira-llc.com

SAQ Building, Unit# 4M2, Al Quoz Industrial Area 3,
Dubai, UAE

www.shazira-llc.com

